

Charcoal

This popular window film series provides improved comfort due to maximum heat and glare reduction, its shatter-resistance properties deter "smash and grab" theft, diminishes fading of your vehicles interior and helps protect your health by screening out destructive UV rays.

Charcoal is offered in four different styles: Charcoal 5, 20, 35 and 55.

Charcoal 5

Performance Data:	
Total Solar Energy:	
Transmitted	23%
Reflected	9%
Absorbed	68%
Visible Light:	
Transmitted	10%
Reflected	5%
"U" Factor:	
Median	1.03
Design	1.08
Ultraviolet Light Rejected	99%
Shading Coefficient	.48
Total Solar Energy Rejected	58%

Charcoal 20

Performance Data:	
Total Solar Energy:	
Transmitted	45%
Reflected	6%
Absorbed	49%
Visible Light:	
Transmitted	17%
Reflected	5%
"U" Factor:	
Median	1.10
Design	1.14
Ultraviolet Light Rejected	99%
Shading Coefficient	.67
Total Solar Energy Rejected	42%

Charcoal 35

Performance Data:	
Total Solar Energy:	
Transmitted	48%
Reflected	6%
Absorbed	46%
Visible Light:	
Transmitted	35%
Reflected	6%
"U" Factor:	
Median	1.10
Design	1.14
Ultraviolet Light Rejected	0-4%
Shading Coefficient	.69
Total Solar Energy Rejected	40%

Charcoal 55

Performance Data:	
Total Solar Energy:	
Transmitted	63%
Reflected	7%
Absorbed	30%
Visible Light:	
Transmitted	54%
Reflected	7%
"U" Factor:	
Median	1.11
Design	1.14
Ultraviolet Light Rejected	0-4%
Shading Coefficient	.82
Total Solar Energy Rejected	29%



Charcoal 35 shown here.

*Picture is for display purposes only and may not be an accurate shade.